

Jurist, Karen

From: Ross, Brian
Sent: Tuesday, May 21, 2013 12:25 PM
To: thompson, rachel
Subject: One clarification point re. Dredging Operations Plan for Levin Terminals Richmond

FYI...

-----Original Message-----

From: Christian, Elizabeth@Waterboards [<mailto:Elizabeth.Christian@waterboards.ca.gov>]
Sent: Monday, May 20, 2013 4:10 PM
To: Jim Cannon; Oriana Duranczyk; O'Leary, Debra A SPN; brendag@bcdcc.ca.gov
Subject: RE: Dredging Operations Plan for Levin Terminals Richmond

I think you're referring to the "splash board" in the Berth 10 Operations Plan: "The site operator will employ a splash board or other device to bridge the area between the berm and the scow. The surface of the splash board will be covered in plastic or other impermeable material to catch the small amounts of dredged material that may be clinging to the outside of the bucket during material transfer and inadvertently fall from the bucket during the bucket's swing."

It's basically just a ramp bridging the gap between the dredge scow and the bermed rehandling area. When I read the word "bracket" I visualized something hanging from it - like you'd attach to a wall to support some type of fixture. The drawing should help. Thanks.

From: Jim Cannon [<mailto:jimc@levinterminal.com>]
Sent: Monday, May 20, 2013 3:27 PM
To: Christian, Elizabeth@Waterboards; Oriana Duranczyk; Debra.A.O'leary@usace.army.mil; brendag@bcdcc.ca.gov
Subject: RE: Dredging Operations Plan for Levin Terminals Richmond

Hi Beth, I was also confused by the "bracket" reference. This came from the original disposal plan from Berth 10 at Oakland where they had a bracket to aid in spillage. I will send a new drawing to everyone that will hopefully explain what we plan to do.

Jim

From: Christian, Elizabeth@Waterboards [<mailto:Elizabeth.Christian@waterboards.ca.gov>]
Sent: Monday, May 20, 2013 9:25 AM
To: Jim Cannon; Oriana Duranczyk; Debra.A.O'leary@usace.army.mil; brendag@bcdcc.ca.gov
Subject: RE: Dredging Operations Plan for Levin Terminals Richmond

Hi Jim,

On the last page of the DOP, in the section titled 10) Storm Water Runoff Plan, there's a description of a "Berth B Runoff Containment & Offloading Containment Bracket" with a reference to an attached drawing. I can't seem to find the drawing in the DOP. There's a photograph titled Berth B Disposal Offloading, but I don't see a "bracket" in it. I can't figure out how the bracket is supposed to work from the description in the DOP. Is it possible to send a drawing and provide some additional explanation. Thanks.

Beth

Elizabeth Christian

Water Resource Control Engineer

e-mail address: echristian@waterboards.ca.gov <<mailto:echristian@waterboards.ca.gov>>

Regional Water Quality Control Board

San Francisco Bay Region

1515 Clay Street, Suite 1400

Oakland, CA 94612

(510) 622-2335

From: Jim Cannon [<mailto:jimc@levinterminal.com>]

Sent: Friday, May 17, 2013 3:33 PM

To: Oriana Duranczyk; Debra.A.O'leary@usace.army.mil; Christian, Elizabeth@Waterboards; brendag@bcdca.gov

Subject: RE: Dredging Operations Plan for Levin Terminals Richmond

Thank you Oriana. If anyone has any questions, please call or e-mail me.

Jim

From: Oriana Duranczyk [<mailto:Oriana@dutragroup.com>]

Sent: Friday, May 17, 2013 3:29 PM

To: Debra.A.O'leary@usace.army.mil; Beth Christian (echristian@waterboards.ca.gov); brendag@bcdca.gov

Cc: Jim Cannon
Subject: Dredging Operations Plan for Levin Terminals Richmond

All,

Attached is an electronic copy of our Operations Plan for Dredging at Levin Terminals in Richmond, CA
Hard Copies to follow in the mail.

Have a lovely weekend,

Oriana Duranczyk

d

(415) 259-7458 - cell

(415) 257-8662 - office

Classification: UNCLASSIFIED
Caveats: NONE

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could contain a computer virus which could cause
harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all
computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****